

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listing, of claims in the application:

1. (Currently Amended) A liquid crystal display comprising:

a TFT array panel including a plurality of first display signal lines, a plurality of second display signal lines crossing the first display signal lines, a plurality of switching elements connected to the first display signal lines and the second display signal lines, and a plurality of pixel electrodes connected to the switching elements;

an inspection line formed on the TFT array panel for transmitting a test signal to the second display signal lines, and

a test pad formed on the TFT array panel and connected to the inspection line, for receiving the test signal,

wherein the inspection line is separated from the first and second display signal lines, the switching elements, and the pixel electrodes,

the test pad is disposed between the driver and an edge of the TFT array panel,  
and

the inspection line and the second display signal lines are electrically separated.

2. (Previously Presented) The liquid crystal display of claim 1, wherein the inspection line comprises at least two inspection lines, and the second display signal lines are alternately connected to the at least two inspection lines.

3. (Original) The liquid crystal display of claim 1, further comprising a plurality of drivers connected to the second display signal lines.

4. (Original) The liquid crystal display of claim 3, further comprising a plurality of connecting lines interconnecting the drivers.

5. (Original) The liquid crystal display of claim 4, wherein the connecting lines extend straight.

6. (Previously Presented) The liquid crystal display of claim 4, wherein the test pad is closer to an edge of the TFT array panel than to the connecting lines.

7. (Canceled)

8. (Original) The liquid crystal display of claim 3, wherein each of the drivers is formed as a chip.

9. (Previously Presented) The liquid crystal display of claim 1, further comprising a plurality of flexible printed circuit films attached to the TFT array panel, wherein each of the flexible printed circuit films is the device for supplying driving signals to the first display signal lines or the second display signal lines.

10. (Canceled)

11. (Previously Presented) The liquid crystal display of claim 10, further comprising a connecting member including the same layer as the pixel electrodes, wherein the connecting member is connected to at least one of the inspection line and the second display signal lines.

12. (Previously Presented) The liquid crystal display of claim 11, wherein the inspection line includes the same material as at least one of the first display signal lines, the second display signal lines, and the pixel electrodes.

13. (Withdrawn) A testing method of an LCD including a plurality of first display signal lines, a plurality of second display signal lines crossing the first display signal lines, a plurality of switching elements connected to the first display signal lines and the second

display signal lines, a plurality of pixel electrodes connected to the switching elements, and at least one inspection line for transmission of a test signal to the second display signal lines, the inspection lines being separated from the first and second display signal lines, the switching elements, and the pixel electrodes, the method comprising:

driving the pixel electrodes through the switching elements by applying a first test signal to the first display signal lines and a second test signal to the second display signal lines; and

disconnecting the connection between the second display signal lines and the at least one inspection line.